

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being filed electronically with the U.S. Patent and Trademark Office on the below date:

Date: October 11, 2010 Name: Heidi A. Dare, Reg. No. 50,775 Signature: Heidi A. Dare

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln. of: Signe Thorning Mejlhede et al.

Appln. No.: 10/578,972

Filed: January 16, 2007

For: INJECTION MOULDING OF A
CATHETER

Attorney Docket No: 12706-36

Examiner: Jill Lynne Heitbrink

Art Unit: 1791

Confirmation No. 8559

REQUEST FOR REVIEW OF PATENT TERM ADJUSTMENT

MAIL STOP ISSUE FEE
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It has recently come to our attention that there may be an error in the Patent Term Adjustment calculated by the U.S. Patent and Trademark Office for the above-referenced patent application. Specifically, the patent term adjustment pursuant to 35 U.S.C. 154(b) of 787 days indicated on the Determination of Patent Term Adjustment, PTOL-85, may extend the term of this patent by too many days. Please review the calculation of the patent term adjustment and make corrections, if necessary. Further, please note that this application is subject to a terminal disclaimer.

Respectfully submitted,

Heidi A. Dare
Heidi A. Dare, Reg. No. 50,775
Attorney for Applicants

BRINKS HOFER GILSON & LIONE
P.O. BOX 10395
CHICAGO, ILLINOIS 60610
(312) 321-4200